

Supply of Miscellaneous item for networking, Tender ID-19311, Fiscal Year: 2024-2025

Item No.	Name and Description of Item	Unit	Quantity	Unit price	Awarded to M/S
1.00	AP-207 or Higher version RW (controller managed) and IAP-207 (Instant): 802.11a/b/g/n/ac, 5GHz 2x2 MIMO-867Mbps max. rate and 2.4GHz 2x2 MIMO-400Mbps max. rate, Ethernet port 10/100/1000Mbps & Ceiling Mounting Kit Part number JWO47A. (HPE Aruba IAP-207). For Ministries Enclave O & M.	No.	1.00	27999	Sang Wangling Enterprise
2.00	AP-325 or Higher Version RW (controller managed) and IAP-325 (Instant):- 802.11a/b/g/n/ac, dual radio (2.4Ghz & 5Ghz), 2x2 MIMO, 300Mbps & 1000Mbps max. rate, Ethernet port 10/100/1000Mbps & Ceiling Mounting Kit Part number JWO47A. (HPE Aruba IAP-325). For Ministries Enclave O & M.	No.	1.00	27999	Sang Wangling Enterprise
3.00	HPE Aruba switch POE+ Switch Integrated 8 x 10/100/1000 BASE-T Ports + 2 x 1G SFP ports: For Ministries Enclave O & M.	No.	1.00	43200	B. G Sales and Supplies
4.00	Gigabit Media Converter, Single Mode, Single Fiber Stantalone SC interface, TX-RX/RX-TX, distance 40 Km .	Pair	1.00	6000	WHITECUFFS TECHNOLOGIES
5.00	Gigabit Media Converter, Single Mode, Single Fiber Stantalone SC interface, TX-RX/RX-TX, distance 80 Km .	Pair	1.00	7999	Sang Wangling Enterprise
6.00	Gigabit Media Converter, Single Mode, Single Fiber Stantalone SC interface, TX-RX/RX-TX, distance 100 Km .	Pair	1.00	9500	B. G Sales and Supplies
7.00	Gigabit Media Converter, Single Mode, Single Fiber Stantalone SC interface, TX-RX/RX-TX, distance 120 Km .	Pair	1.00	10800	B. G Sales and Supplies
8.00	Cage & Nut (100 pieces=1 package)	Package	1.00	949	B.D Commercial



Supply of Miscellaneous item for networking, Tender ID-19311, Fiscal Year: 2024-2025

Item No.	Name and Description of Item	Unit	Quantity	Unit price	Awarded to M/S
9.00	<p>Fiber OTDR: FS200-303 Emitter Type:Laser, Safety Class:Class I, Fibre Type: Singlemode,Wavelengths (nm): 1310/1550/1625, Center ? Tolerance:1310/1550/1650: ± 20 nm; 1625 $\pm 30/-5$ nm, Dynamic Range (dB):37/35/37, Event Dead Zone (m): 0.8, Atten. Dead Zone (m): 3.5, Pulse Widths: "3, 5, 10, 20, 30, 50, 100, 200, 300, 500 ns; 1, 2, 3, 10 μs; 20 μs (FS200-300/300/304 only)," Range Settings: 250 m to 240 km, Data Points: Up to 300,000 (Expert mode .SOR file), Data Spacing: 5 cm to 16 m, Index of Refraction:1.3000 to 1.7000, Distance Uncertainty: $\pm(1 + 0.003\% \times \text{distance} + \text{data point spacing})$ m, Linearity (dB/dB): ± 0.05, Trace File Format: Telcordia SR-4731 Issue 2 compatible .SOR, Trace Storage Medium: "4 GB internal memory (> 5000 traces typical); External USB memory stick," Data Transfer to PC: USB cable or Bluetooth, OTDR Modes: SmartAuto, Expert, Real-time, Flexpress Fast Test:FS200-300, Display Modes: LinkMap Summary, LinkMap Events, Trace, Refresh Rate: Up to 4 Hz (Real-time mode), Live Fibre Protection: "No OTDR damage with input power = +15 dBm for wavelength(s) in range 1260 to 1675 nm," Live Fibre Detection: "Reports live fibre with input signal = -35 dBm for wavelength(s) in range 1260 to 1675 nm," PON Filter Isolation: > 50 dB for 1260 nm = wavelength =1600 nm, Live PON OTDR Test: 1625 or 1650 nm using filtered detector, VISUAL FAULT LOCATOR (VFL) Emitter Type: Visible red laser, 650 ± 20 nm, Safety Class: Class II, OPTICAL LASER SOURCE Emitter Type: Laser, Safety Class: Class I, Fibre Type: Singlemode, Wavelengths (nm): 1310/1550, Center ? Tolerance: ± 20 nm (CW mode), Spectral Width (FWHM): 5 nm (maximum), Internal Modulation: 270 Hz, 330 Hz, 1 kHz, 2 kHz, CW, Wave ID, Wave ID: Compatible with AFL OPM/OLS, Output Power Stability: = ± 0.1 dB (15 minutes); = ± 0.15 dB (8 hours), Output Power: -3 dBm ± 1.5 dB OPTICAL POWER METER -OPM, Calibrated Wavelengths: 1310, 1490, 1550, 1625, 1650 nm, Detector Type: InGaAs, 1 mm diameter, Measurement Range: +23 to -50 dBm, Tone Detect Range: +3 to -35 dBm, Accuracy: ± 0.25 dB, Resolution: 0.01 dB, Measurement Units: dB, dBm or Watts (nW, μW, mW), GENERAL Size (in boot): 86 x 160 x 43 mm, Weight: 0.4 kg, Power Rechargeable Li-Pol or AC adapter, Battery Life >12 hours, Telcordia test conditions, Display 4.3 in colour touchscreen LCD, 480 x 272, backlit, USB Ports 1 host; 1 micro-USB function. Bidder must submit the product datasheet.</p>	No.	1.00	220000	WHITECUFFS TECHNOLOGIES

80 80 80 80 80 80

Supply of Miscellaneous item for networking, Tender ID-19311, Fiscal Year: 2024-2025

Item No.	Name and Description of Item	Unit	Quantity	Unit price	Awarded to M/S
10.00	Fujikura Fiber Splicing Machine:- Core Alignment Fusion Splicer Machine 88S+: Standard Package includes:-Battery pack, AC Adaptor with charging cable, USB cable, Electrode Spare, Fusion Splicer Strap, Carry Case with Carry Strap, Alcohol Dispenser, Single Fiber Striper, High Precision Fiber Cleaver with Case, Fiber Scrap Collector, Lock key, Hexagonal Wrench, Kevlar Scissor etc & Quick Referenec Guide. Bidder must submit the product datasheet.	No.	1.00	195000	B. G Sales and Supplies
14.00	Fiber Optic One-Click Cleaner -for 2.5mm (SC/FC/FC/STE2000), 500+ Cleans.	No.	1.00	699	Sang Wangling Enterprise
15.00	Fiber Optic One-Click Cleaner -for 1.25mm (LC/MU), 500+ Cleans.	No.	1.00	699	Sang Wangling Enterprise
17.00	Single Mode 9/125um SC/UP-SC-UP Optical Fiber Adapter Simplex	No.	1.00	1100	WHITECUFFS TECHNOLOGIES
18.00	Single Mode 9/125um SC/UP-FC/UP Optical Fiber Adapter Simplex	No.	1.00	500	WHITECUFFS TECHNOLOGIES
19.00	Single Mode 9/125um FC/UP-FC/UP Optical Fiber Adapter Simplex	No.	1.00	700	WHITECUFFS TECHNOLOGIES
20.00	Single Mode 9/125um LC/UP-LC/UP Optical Fiber Adapter Simplex	No.	1.00	850	WHITECUFFS TECHNOLOGIES
21.00	Fujikura Splicing Machine Electrodes ELCT2-20A	No.	1.00	750	WHITECUFFS TECHNOLOGIES
22.00	Fujikura Splicing Machine Electrodes ELCT2-16B	No.	1.00	4660	NEXUS TECHNOLOGY
23.00	High Precision Fiber Optic Stripper	No.	1.00	1999	Sang Wangling Enterprise
24.00	Kevlar Scissor	No.	1.00	999	Sang Wangling Enterprise
25.00	19" 1U Rack moubnt PDU, 16A, 230V, C13-10 ports, with 3 pin round top plug with power cable, APC or Equivalent. Bidder must submit the product datasheet.	No.	1.00	5500	B. G Sales and Supplies
26.00	19" 1U Rack mount PDU, 32A, 230V, C13-10 ports, C19-2 Ports, 32A, 3 pin industrial round top plug with 12 feet power cable , APC or Equivalent. Bidder must submit the product datasheet.	No.	1.00	8000	B. G Sales and Supplies
27.00	19" 1U Rack mount PDU, 32A, 230V, C19-6 Ports, 32A, 3 pin industrial round top plug with 12 feet power cable, APC or Equivalent. Bidder must submit the product datasheet.	No.	1.00	6800	B. G Sales and Supplies
28.00	19" 2U Rack mount PDU, Metered, 30A, 230V, C13-12 ports, C19-4 Ports, 32A, 3 pin industrial round top plug with 12 feet power cable. APC or Equivalent. Bidder must submit the product datasheet..	No.	1.00	8000	B. G Sales and Supplies

Supply of Miscellaneous item for networking, Tender ID-19311, Fiscal Year: 2024-2025

Item No.	Name and Description of Item	Unit	Quantity	Unit price	Awarded to M/S
29.00	Vertical Rack mount Smart PDU:- 230V, 32A, C13-16 ports & C19-4 Ports, 32A, 3 pin industrial round top plug with 12 feet power cable, APC or Equivalent. Bidder must submit the product datasheet.	No.	1.00	8200	B. G Sales and Supplies
31.00	Industrial Socket 3 pin Combined 32A MCB with box with 3 pin plug top 32A	No.	1.00	4160	NEXUS TECHNOLOGY
32.00	Power Cable C13-C14, 230V, 12A, 1m	No.	1.00	250	B. G Sales and Supplies
33.00	Power Cable C13-C14, 230V, 12A, 2m	No.	1.00	270	B. G Sales and Supplies
34.00	Power Cable C13-C14, 230V, 12A, 3m	No.	1.00	310	B. G Sales and Supplies
35.00	Power Cable C14-C15, 230V, 16A, 1m	No.	1.00	225	B. G Sales and Supplies
36.00	Power Cable C14-C15, 230V, 16A, 2m	No.	1.00	250	B. G Sales and Supplies
37.00	Power Cable C14-C15, 230V, 16A, 3m	No.	1.00	290	B. G Sales and Supplies
38.00	Power Cable C19-C20, 230V, 20A, 1m	No.	1.00	450	B. G Sales and Supplies
39.00	Power Cable C19-C20, 230V, 20A, 2m	No.	1.00	590	B. G Sales and Supplies
40.00	Power Cable C19 to C20, 230V, 20A, 3m	No.	1.00	650	B. G Sales and Supplies
41.00	C14, Plug top, 3 Pin Male connector 10A, 250V	No.	1.00	300	B. G Sales and Supplies
42.00	4 Core 4Sq. mm Sheathed Copper Cable (1 roll=100 meters)	Roll	1.00	20010	B. G Sales and Supplies
43.00	4 Core 6Sq. mm Sheathed Copper Cable (1 roll=100 meters)	Roll	1.00	25999	Sang Wangling Enterprise
44.00	3 Core 2.5Sq. mm Sheathed Copper Cable (1 roll=100 meters)	Roll	1.00	9070	B. G Sales and Supplies
45.00	3 Core 4 Sq. mm Sheathed Copper Cable (1 roll=100 meters)	Roll	1.00	15200	B. G Sales and Supplies
46.00	3 Core 6 Sq. mm Sheathed Copper Cable (1 roll=100 meters)	Roll	1.00	22300	B. G Sales and Supplies

[Handwritten signatures and stamps at the bottom of the page]

Supply of Miscellaneous item for networking, Tender ID-19311, Fiscal Year: 2024-2025

Item No.	Name and Description of Item	Unit	Quantity	Unit price	Awarded to M/S
47.00	Single Core Earthing cable 1Sq. mm (1 roll=100 meters)	Roll	1.00	1100	B. G Sales and Supplies
48.00	Single Core Earthing cable 1.4Sq. mm (1 roll=100 meters)	Roll	1.00	1610	B. G Sales and Supplies
49.00	Single Core Earthing cable 2.5Sq. mm (1 roll=100 meters)	Roll	1.00	2600	B. G Sales and Supplies
50.00	Single Core Earthing cable 4Sq. mm (1 roll=100 meters)	Roll	1.00	3950	B. G Sales and Supplies
51.00	MCB 20A	No.	1.00	250	B. G Sales and Supplies
52.00	MCB 32A	No.	1.00	300	B. G Sales and Supplies
53.00	MCB 40A	No.	1.00	180	B. G Sales and Supplies
54.00	Proskit electrical and electronic tool kit model No. 1PK-1700 NB	No.	1.00	24570	B. G Sales and Supplies
55.00	Modulated Case Circuit Breaker (MCCB), thermal magnetic, DPX ³ 160, Icu- 16 kA , 400 V~, 3P, 125A	No.	1.00	6118	NEXUS TECHNOLOGY
56.00	Bus Bar Chamber: 320 A, 415A	No.	1.00	8475	NEXUS TECHNOLOGY
57.00	MCB Distribution Board: Type-SP & N, 4 Ways, 240/415V, 50 Hz,	No.	1.00	800	B. G Sales and Supplies
58.00	MCB Distribution Board: Type:SP & N, 12 Ways, 240/415V, 50 Hz,	No.	1.00	1500	B. G Sales and Supplies
59.00	Triple Pole Neutral (TPN): C63, 415 V, 50 Hz	No.	1.00	2200	YANGKHIL Trading
60.00	Triple Pole Neutral (TPN) : C32, 415 V, 50 Hz	No.	1.00	1775	B. G Sales and Supplies
61.00	Belkin USB-C 6-in-1 Multiport Adaptor: 1 HDMI port, 2 USB-A 3.0, GbE port, SD card reader and USB-C PD port(Compatible for both Mac and Windows)	No.	1.00	4500	B. G Sales and Supplies
62.00	Self Adhesive Cable Labels for Optic Fiber Patch Cord & Ethernet; Waterproof, Anti Scratch, Strong Self Adhesive, Tear Resistant & Writable; 8 Color including Red, Orange, Blue, Purple, Green, Yellow, White & Pink; Lable size 3.31"x1.02".	No.	1.00	699	Sang Wangling Enterprise
63.00	OHP Pen - Stabilo OHP Pen Permanent (Black, Red, Blue, Green)	No.	1.00	120	B. G Sales and Supplies



Supply of Miscellaneous item for networking, Tender ID-19311, Fiscal Year: 2024-2025


Item No.	Name and Description of Item	Unit	Quantity	Unit price	Awarded to M/S
64.00	Cable ties Zip ties 60mm (1 Packet= 100 Pieces)	Packet	1.00	130	B. G Sales and Supplies
65.00	Cable ties Zip ties 80mm (1 Packet= 100 Pieces)	Packet	1.00	140	B. G Sales and Supplies
66.00	Cable ties Zip ties 100 mm (1 Packet= 100 Pieces)	Packet	1.00	150	B. G Sales and Supplies
67.00	Cable ties Zip ties 150 mm (1 Packet= 100 Pieces)	Packet	1.00	160	B. G Sales and Supplies
68.00	Cable ties Zip ties 200 mm (1 Packet= 100 Pieces)	Packet	1.00	170	B. G Sales and Supplies
69.00	Cable ties Zip ties 250 mm (1 Packet= 100 Pieces)	Packet	1.00	300	B. G Sales and Supplies
70.00	Cable ties Zip ties 300 mm (1 Packet= 100 Pieces)	Packet	1.00	350	B. G Sales and Supplies
71.00	Cable ties Zip ties 350 mm (1 Packet= 100 Pieces)	Packet	1.00	360	B. G Sales and Supplies
72.00	Cable ties Zip ties 400 mm (1 Packet= 100 Pieces)	Packet	1.00	450	B. G Sales and Supplies
73.00	Cable ties Zip ties 450 mm (1 Packet= 100 Pieces)	Packet	1.00	550	B. G Sales and Supplies
74.00	Floor standing Smart UPS, 230V, 2000VA (2KVA) with internal battery, UPS signalling RS-232 Cable CD with software. Bidder must submit the product datasheet.	No.	1.00	34500	B. G Sales and Supplies
75.00	Floor standing Smart UPS, 230V, 3000VA (3KVA) with internal battery, UPS signalling RS-232 Cable CD with software. Bidder must submit the product datasheet.	No.	1.00	42500	B. G Sales and Supplies
76.00	Floor standing Smart UPS, 230V, 3000VA (5KVA) with internal battery, UPS signalling RS-232 Cable CD with software. Bidder must submit the product datasheet.	No.	1.00	111800	B. G Sales and Supplies
77.00	19" 2U Rack mountable On-line UPS 230V, 1000VA (2KVA) with internal battery, UPS signalling RS-232 Cable CD with software, Rack mounting Rails Kit. Bidder must submit the product datasheet.	No.	1.00	49400	B. G Sales and Supplies
78.00	19" 2U Rack mountable On-line UPS 230V, 2000VA (3KVA) with internal battery, UPS signalling RS-232 Cable CD with software, Rack mounting Rails Kit. Bidder must submit the product datasheet.	No.	1.00	49400	B. G Sales and Supplies

80

[Signature]

[Signature]

[Signature]



Supply of Miscellaneous item for networking, Tender ID-19311, Fiscal Year: 2024-2025

Item No.	Name and Description of Item	Unit	Quantity	Unit price	Awarded to M/S
80.00	Value Added Rack:- 42U Rack minimum configuration:- 2010x800x1000 (HxWxD)mm, Top & Bottom cover with cable entry exit cut outs, Rack air circulation fan module mounted on top cover, Partially vented side panels, Perforated both front & rear door metal with lockable key, Standing mounting-Caster wheels (2 with brake & 2 without brake) with levelers or plinth, 19" Adapter Kit/Closed/Door front & back, Cable Management Accessories:- 19" Adaptor Kit/Loops 2 Nos, Cable basket & Mounting hardware accessories & etc. Bidder must submit the product datasheet.	No.	1.00	58490	B.D Commercial
81.00	Value Added Rack:- 38U Rack minimum configuration:- 1832x800x1000 (HxWxD)mm, Top & Bottom cover with cable entry exit cut outs, Rack air circulation fan module mounted on top cover, Partially vented side panels, Perforated both front & rear door metal with lockable key, Standing mounting-Caster wheels (2 with brake & 2 without brake) with levelers or plinth, 19" Adapter Kit/Closed/Door front & back, Cable Management Accessories:- 19" Adaptor Kit/Loops 2 Nos, Cable basket & Mounting hardware accessories & etc. Bidder must submit the product datasheet.	No.	1.00	44390	B.D Commercial
82.00	Value Added Rack:- 368U Rack minimum configuration:- 1832x800x1000 (HxWxD)mm, Top & Bottom cover with cable entry exit cut outs, Rack air circulation fan module mounted on top cover, Partially vented side panels, Perforated both front & rear door metal with lockable key, Standing mounting-Caster wheels (2 with brake & 2 without brake) with levelers or plinth, 19" Adapter Kit/Closed/Door front & back, Cable Management Accessories:- 19" Adaptor Kit/Loops 2 Nos, Cable basket & Mounting hardware accessories & etc. Bidder must submit the product datasheet.	No.	1.00	38490	B.D Commercial
83.00	AC/DC Adapter -Part Number:ADH-108AR B -Input: 100-240V ~ 2.0A 50-60Hz -Output:12.0V----9.0A 108.0W Max, 6holes. Bidder must submit the product datasheet.	No.	1.00	18490	B.D Commercial
87.00	ASCO Surge Protective Device 200 Series Model No. 241 (PowerSure-ACTVSS) Plug-in Surge and Transient Protection for 120-240VAC, 13A, Connection IEC C13/C14. Bidder must submit the product datasheet.	No.	1.00	27000	B. G Sales and Supplies
88.00	Cisco C1200-8FP-E-2G: 8x 10/100/1000 PoE+ ports with 120W power budget, 2xGigabit copper/SFP combo ports, Rack-mountable, Switching capacity-20Gbps, Flash Memory- 512 MB, RAM- 1 GB DDR4. Device should be supplied with rack-mounting kit. Bidder must submit the product datasheet.	No.	1.00	31735	New Edge Technologies


[Signature]

[Signature]

[Signature]

[Signature]

[Signature]



Supply of Miscellaneous item for networking, Tender ID-19311, Fiscal Year: 2024-2025

Item No.	Name and Description of Item	Unit	Quantity	Unit price	Awarded to M/S
89.00	Cisco C1200-16P-2G : 16x 10/100/1000 PoE+ ports with 120W power budget, 2xGigabit SFP, Rack-mountable, Switching capacity-36 Gbps, Flash Memory- 512 MB, RAM- 1 GB DDR4. Device should be supplied with rack-mounting kit. Bidder must submit the product datasheet.	No.	1.00	46552	New Edge Technologies
90.00	Cisco C1200-24P-4G: 24x10/100/1000 ports, 4xGigabit SFP , Rack-mountable, Switching capacity-56 Gbps, Flash Memory- 512 MB, RAM- 1 GB DDR4. Device should be supplied with rack-mounting kit. Bidder must submit the product datasheet.	No.	1.00	57942	New Edge Technologies
91.00	Cisco C1200-8T-E-2G: 8x10/100/1000 ports, 2xGigabit copper/SFP combo ports, Rack-mountable, Switching capacity-20Gbps, Flash Memory- 512 MB, RAM- 1 GB DDR4. Device should be supplied with rack-mounting kit. Bidder must submit the product datasheet.	No.	1.00	22115	New Edge Technologies
92.00	Cisco C1200-16T-2G : 16x10/100/1000 ports, 2xGigabit SFP, Rack-mountable, Switching capacity-36 Gbps, Flash Memory- 512 MB, RAM- 1 GB DDR4. Device should be supplied with rack-mounting kit. Bidder must submit the product datasheet.	No.	1.00	29745	New Edge Technologies
93.00	Cisco C1200-24T-4G: 24x10/100/1000 ports, 4xGigabit SFP , Rack-mountable, Switching capacity-56 Gbps, Flash Memory- 512 MB, RAM- 1 GB DDR4. Device should be supplied with rack-mounting kit. Bidder must submit the product datasheet.	No.	1.00	32509	New Edge Technologies
94.00	Cisco C1300-8FP-2G: Ports- 8x 10/100/1000 Ethernet PoE+ ports and Power dedicated to PoE-120W, 2x 1G SFP and RJ-45 combo uplinks, DRAM- 1 GB DDR4, Flash memory- 512 MB, Switching capacity- 20 Gbps, Forwarding rate(64—byte L3 packets)-14.88 Mpps. Device should be supplied with rack-mounting kit. Bidder must submit the product datasheet.	No.	1.00	49649	New Edge Technologies
95.00	Cisco C1300-16FP-2G: Ports- 16x10/100/1000 Ethernet PoE+ ports and Power dedicated to PoE-240W, 2x 1G SFP, DRAM- 1 GB DDR4, Flash memory- 512 MB, Switching capacity- 36 Gbps, Forwarding rate(64—byte L3 packets)- 26.78 Mpps. Device should be supplied with rack-mounting kit. Bidder must submit the product datasheet.	No.	1.00	88461	New Edge Technologies
96.00	Cisco C1300-8T-E-2G: Ports- 8x 10/100/1000 Ethernet ports, 2x 1G SFP and RJ-45 combo uplinks, DRAM- 1 GB DDR4, Flash memory- 512 MB, Switching capacity- 20 Gbps, Forwarding rate(64—byte L3 packets)-14.88 Mpps. Device should be supplied with rack-mounting kit. Bidder must submit the product datasheet.	No.	1.00	30298	New Edge Technologies

80:

[Signature]

[Signature]

[Signature]









Supply of Miscellaneous item for networking, Tender ID-19311, Fiscal Year: 2024-2025

Item No.	Name and Description of Item	Unit	Quantity	Unit price	Awarded to M/S
97.00	Cisco C1300-16T-2G: Ports- 16x10/100/1000 Ethernet ports, 2x1G SFP, DRAM- 1 GB DDR4, Flash memory- 512 MB, Switching capacity- 36 Gbps, Forwarding rate(64—byte L3 packets)- 26.78 Mpps. Device should be supplied with rack-mounting kit. Bidder must submit the product datasheet.	No.	1.00	43014	New Edge Technologies
98.00	Cisco C1300-24T-4G: Ports- 24x10/100/1000 Ethernet ports, 4x1G SFP, DRAM- 1 GB DDR4, Flash memory- 512 MB, Switching capacity- 56 Gbps, Forwarding rate(64—byte L3 packets)- 41.66 Mpps. Device should be supplied with rack-mounting kit. Bidder must submit the product datasheet.	No.	1.00	59932	New Edge Technologies
99.00	Cisco C1300-24T-4X: Ports- 24x10/100/1000 Ethernet ports, 4x10 Gigabit SFP+, DRAM- 1 GB DDR4, Flash memory- 512 MB, Switching capacity- 128 Gbps, Forwarding rate(64—byte L3 packets)- 95.23Mpps. Device should be supplied with rack-mounting kit. Bidder must submit the product datasheet.	No.	1.00	98490	B.D Commercial
100.00	Cisco C9300-24S-A: 24x1G SFP, Switching capacity- 208 Gbps, DRAM- 8 GB, Flash 16 GB with advanced IP Lincense supporting 10G SFP+ uplinks, redundant power supply modules. Device should be supplied with rack-mounting kit. Bidder must submit the product datasheet.	No.	1.00	645000	WHITECUFFS TECHNOLOGIES
101.00	Cisco C9300- 48S-A: 48x1G SFP, Switching Capacity- 256 Gbps, DRAM- 8 GB, Flash 16 GB with advanced IP License supporting 10G SFP+ uplinks, redundant power supply modules. Device should be supplied with rack-mounting kit. Bidder must submit the product datasheet.	No.	1.00	820000	WHITECUFFS TECHNOLOGIES
102.00	Cisco Catalyst Switch 3850 24S Power Supply Module:- Model No. AA26270, 350W, Input 100-240VAC, 4-2A, 50-60Hz, Output DC 56V, 6.25A Max., PWR-C1-350WAC V02. Bidder must submit the product datasheet.	No.	1.00	24127	New Edge Technologies
103.00	Cisco Catalyst 9300 Series 8x10G/1G Network Module for Cisco Cisco- C9300-48S-A and Cisco- C9300-24S-A-Cisco. Bidder must submit the product datasheet.	No.	1.00	50000	WHITECUFFS TECHNOLOGIES
104.00	Cisco 10G XFP Module Adapter for Cisco ASR1001-X Router(SPA-1X10GE-L-V2). Bidder must submit the product datasheet.	No.	1.00	75000	WHITECUFFS TECHNOLOGIES
105.00	Cat6 UTP patch cord factory crimped 10 meter. Bidder must submit the product datasheet.	No.	1.00	439	B.D Commercial
106.00	Cat6 UTP patch cord factory crimped 20 meter. Bidder must submit the product datasheet.	No.	1.00	949	B.D Commercial
107.00	Cat6 UTP patch cord factory crimped 30 meter. Bidder must submit the product datasheet.	No.	1.00	1349	B.D Commercial
108.00	Cat6 UTP Information Outlet box complete set. Bidder must submit the product datasheet.	No.	1.00	350	B. G Sales and Supplies



Supply of Miscellaneous item for networking, Tender ID-19311, Fiscal Year: 2024-2025					
Item No.	Name and Description of Item	Unit	Quantity	Unit price	Awarded to M/S
109.00	Cat6 UTP Network Cable Tester with carry case. Bidder must submit the product datasheet.	No.	1.00	1890	B.D Commercial
110.00	Cat6 UTP RJ 45 crimping tools. Bidder must submit the product datasheet.	No.	1.00	1999	Sang Wangling Enterprise
111.00	Cat6 UTP wire striper. Bidder must submit the product datasheet.	No.	1.00	699	Sang Wangling Enterprise
112.00	RJ 45 connector (brown color, 100 pieces per packet)	Packet	1.00	700	B.D Commercial
113.00	Cat6 UTP solid cable, 23AWG Solid Bare 100% copper cable, 305m. Bidder must submit the product datasheet.	Roll	1.00	8490	B.D Commercial
114.00	Cat6 Double Jacket Outdoor cable, 23A AWG Solid Bare Copper, UTP-Unshielded Twisted Pair, UV Resistant, Weatherproof, Waterproof, CMX, ETL Listed, 550MHz, (500ft in roll). Bidder must submit the product datasheet.	Roll	1.00	12000	B. G Sales and Supplies
115.00	Cisco Console Cable USB-A to RJ45. Bidder must submit the product datasheet.	No.	1.00	1999	Sang Wangling Enterprise
116.00	Cisco Console Cable USB-C to RJ45. Bidder must submit the product datasheet.	No.	1.00	1999	Sang Wangling Enterprise
117.00	Armoured Flexible conduit horse shoe pipe 32mm. Bidder must submit the product datasheet.	Meter	1.00	66	Sang Wangling Enterprise
118.00	Armoured Flexible conduit horse shoe pipe 40mm. Bidder must submit the product datasheet.	Meter	1.00	77	Sang Wangling Enterprise
119.00	Armoured Flexible conduit horse shoe pipe 50mm. Bidder must submit the product datasheet.	Meter	1.00	99	Sang Wangling Enterprise
120.00	Armoured Flexible conduit horse shoe pipe 63mm. Bidder must submit the product datasheet.	Meter	1.00	139	Sang Wangling Enterprise
121.00	AC/DC Adapter -Part Number:ADH-108AR B	No.	1.00	18490	B.D Commercial
122.00	Smart PDU (Equivalent to APC AP7822B)-APC brand. Bidder must submit the product datasheet.	No.	1.00	58500	B. G Sales and Supplies
123.00	Smart PDU (Equivalent to APC AP7920B)-APC brand. Bidder must submit the product datasheet.	No.	1.00	61100	B. G Sales and Supplies
124.00	Fujikura Optical Fiber Cleaver CT50	No.	1.00	64490	B.D Commercial



Supply of Miscellaneous item for networking, Tender ID-19311, Fiscal Year: 2024-2025

Item No.	Name and Description of Item	Unit	Quantity	Unit price	Awarded to M/S
125.00	HP LaserJet Pro 4004d Printer or equivalent:- Memory 256MB, Print speed- up to 42/40 ppm, Paper tray standard- 2, Duplex printing or both sided printing- yes, Printer Network Interface Card (NIC)- build-in 10/100/1000Base-TX Ethernet, standard 1 Hi-speed USB 2.0, Print quality black- 1200x1200dpi, Compatible Operating System- latest OS Windows & Mac iOS with printer drivers software.	No.	1.00	28200	Himalayan Infotech
126.00	HP LaserJet Pro MFP 4104dw printer or equivalent: Function- print, scan & copy, Memory 512MB, Print speed- up to 42/40 ppm, Paper tray standard- 2, Top key feature- Automatic Document Feeder, Two-Sided Printing, Two-Sided Scanning, Scan to PDF, Printer Network Interface Card (NIC)- build-in 10/100/1000Base-TX Ethernet, standard 1 Hi-speed USB 2.0, Print quality black- 1200x1200dpi, Compatible Operating System- latest OS Windows & Mac iOS with printer drivers software.	No.	1.00	40529	Himalayan Infotech
Remarks					

Evaluation Committee Members

Mr.Pema Dhendup (Chairman).

Mr. Sonam Tshering

Mr. Sonam Dorji

Ms. Sangay Wangmo

Ms.Dema

